


Technische Daten:  
Glastürscharnier - TATUM

Datasheet:  
Glass door hinge - TATUM



Art. 77416212135-10

Art. 77416212135-12

Art. 77416212135-26



Ausführung:  
Options:





Material: V2A  
Material: Stainless steel AISI 304

Gewicht: / Weight: 0,840 kg



Oberflächen: Edelstahl-Design  
Finish: Stainless steel design

Chrom-Design  
Chrome design

Anthrazit-Design  
Anthracite design




\*drawing shows  
8mm glass





Art. 77416212135-10  
Art. 77416212135-12  
Art. 77416212135-26

Planungsbeispiel:  
Design example:




Art. 77416212135-10  
Art. 77416212135-12  
Art. 77416212135-26

**Glasbearbeitung:**  
Glass preparation:



automatic closing action from 30°  
"Zero point" (0° - closing) adjustable



**Justierung der Schließlage (0-Punkt):**

Nach der Montage der Glastür kann die Endlage der Tür eingeteilt werden. Lösen Sie dafür die Schraube A (durch die Öffnung in der Klemmplatte B) und richten Sie die Tür wie gewünscht aus. Danach die Schraube A wieder festziehen.

Die oben abgebildete Schraube C darf nicht gelöst werden.

**Adjustment of the closed position (0-point):**

After mounting the glass door, the final position of the door can be adjusted. Loose the screw A (through the opening in the clamping plate B) and align the door as desired. Then tighten screw A again.

The screw C shown above must not be loosened.

**G-FITTINGS GmbH**

Marie-Curie-Straße 16-18  
46446 Emmerich am Rhein  
T +49 (0)2822 962 0  
F +49 (0)2822 962 221  
E sales@g-fittings.com